



Owners Manual



POP-UP ENSUITE

www.oztrail.com.au

MPE-ENP-A



CAMP SAFE - SAFETY HABITS

This tent/shelter complies with the flammability requirements of CPAI-84. However, the fabric may burn if left in continuous contact with a flame from any source. Also, the application of any foreign substance to the tent fabric may render the flame resistant properties ineffective.

To prevent injury caused by fire -

- Do not pitch the tent/shelter near a camp fire or any other flame source
- Do not use candles, matches or any other flame source in or near the tent (this includes stoves, cooking equipment, lighting and heating appliances)
- Only use recommended water repellent compounds on the tent/shelter fly
- Do not spray tent fabrics with insecticides

To prevent injury caused by gas poisoning or suffocation -

- Do not use fuel burning, oxygen consuming devices inside the tent. This includes candles, gas lanterns, kerosene lamps, stoves, cooking and heating appliances
- Do not use gas appliances of any kind inside the tent/shelter

EXTREME CAUTION - Gas or fumes or lack of oxygen within the tent/shelter could result in unconsciousness and brain damage and even death

To prevent injury caused by your camping environment -

- Do not pitch your tent/shelter under trees with dead branches or under trees known to drop branches
- Do not pitch your tent/shelter on an area that could get flooded
- Do not pitch your tent/shelter near cliffs in case of collapse or rock fall
- Do not leave your tent/shelter erected in strong winds - collapse the tent onto the ground and seek refuge in your vehicle

To prevent injury caused by electricity -

Always exercise care when using electricity and electric lighting in and near tents / shelters. Only use 12 volt lighting in ensuite.

Product Code ~ MPE-ENP-A

**Thank you for purchasing a superior OZtrail product.
Please keep this Owners Manual in a safe place, it
contains important and helpful information.**

IMPORTANT

We recommend that you set up this product before you leave for your trip. Check that all parts are present and that you familiarize yourself with the assembly and disassembly of the product. If you have any problems, your OZtrail dealer will be able to sort it out for you.

You should have the following parts: -

Product Code ~ MPE-ENP-A

Part Description

<input checked="" type="checkbox"/>	1 x Ensuite with enclosed spring - steel frame
<input checked="" type="checkbox"/>	2 x Roof poles complete with pre-bent Ferrules
<input checked="" type="checkbox"/>	3 x Side brace poles
<input checked="" type="checkbox"/>	8 x Pegs
<input checked="" type="checkbox"/>	4 x Guy ropes
<input checked="" type="checkbox"/>	1 x Storage bag

Need replacement parts?

If you need replacement parts, simply quote the Product Code and then the Part Description as listed above.

PLEASE NOTE - Due to our policy of continual product development, specifications and features of the product may vary from details within this Owners Manual.

ASSEMBLY INSTRUCTIONS

- Step ①** Select the site. It must be: -
~ level, sheltered, free of roots, sticks and rocks, well drained
Remove the poles from the storage bag and assemble the poles.
- Step ②** Remove the Ensuite from the carry bag and allow it to unfold and open fully. All four walls should be apart and all inside corners open to 90 degrees.
- Step ③** Position the Ensuite so the door faces your desired direction. Peg the four corners out using the webbing loops located at the four external corners; firm but not tight.
- Step ④** The two roof poles have the pre-bent ferrules. These poles run inside the roof from corner to corner. Insert one end into the webbing pocket and carefully flex the pole in an arc and insert the other end into the webbing pocket diagonally opposite. Secure the poles in the centre with the touch tape tab.
- Step ⑤** The three remaining poles are the side brace poles. Slot the spigot end of the pole into the eyelet in the webbing tabs located about half way up each wall on the corner seam. Repeat for other two walls.
- Step ⑥** Attach the four guy lines to the Ensuite and peg them out as far as possible from the Ensuite. The loop formed by using the locking slider should be between 30 and 50 cms long.






WARNING - The centre hook has a weight limit of 2.5kgs. It is designed to take the shower rose only. The water bladder should be hung from a stand outside the Ensuite.

DISSASSEMBLY INSTRUCTIONS

While the unit is standing upright

- Step ①** Push any corner in towards the opposite corner to reduce four walls to two double panels.
- Step ②** Fold the two double panels together to form one flat tiered structure. Now lay the unit flat on the ground.
- Step ③** While standing with hands about 20cms up each side of the unit, lift the base to your lap. Lift your hands gradually so the unit slumps and bends/curves over about half way down between bottom and top. The top end of the unit should touch the floor. Bring your hands together in front of you so that each side touches. You should notice that coils are already forming in the frame.
- Step ④** While still holding the frame pass your left hand under your right hand to tuck one coiled section inside the other. Your arms will cross.
- Step ⑤** Place unit on the ground and even up the size of the coils so the unit can fit into the bag.
- Step ⑥** Stuff the Ensuite into the carrying bag for storage.



WARNING - At no stage is it necessary to apply any excessive force to disassemble the Ensuite. The steel frame is sprung loaded and if undue force is applied it can distort. This is deemed abuse and is not covered by our warranty.

IMPORTANT

Your Pop-Up Ensuite is guaranteed against fault in fabric and construction.

This guarantee does not extend to the spring-steel frame, which has been carefully checked before it leaves the factory. If folded correctly according to our instructions, the panels should tuck into each other naturally without force. If you encounter difficulties do not force the frame, as this may cause the spring - steel frame to distort.

Do not hang your shower water bladder from the roof poles. Only hang the shower rose from these poles. Use a stand outside the Ensuite to hang the bladder.

- This product is designed as a portable and temporary structure; it is not designed to be a permanent structure or dwelling.
- Intermittent use only. Although our polyester fabrics are treated for extra UV resistance, continuous exposure to sun light will break the fabric down. Fading of colour is an early warning sign. These tents/shelters are not designed as permanent dwellings or structures.
- Do not leave this product unattended if bad weather is expected.
- If assembly instructions are followed correctly, this product will withstand mild winds and light rain. In gusty winds and storms you must collapse the tent/shelter.
- We recommend that you discuss adding this investment to your household Insurance Policy with your Insurance Agent.

WARRANTY

We guarantee that the brand new product does not have faulty construction, materials, components or function.

If a fault is discovered that existed in the brand new product within the first 12-months of use, we will replace or repair it at our discretion. Proof of purchase, including the purchase date will be required.



Imported by:

OZtrail Leisure Products

PO Box 1, Sumner Park QLD 4074

www.oztrail.com.au

Made in China